

Fitinguri segmentate

Segmented fittings





Cot 30° segmentat capete lungi SDR 11
30° Segmented elbow long spigot SDR 11



Product Certification
BUREAU VERITAS
Certification



Diametru Diameter	Cod Code	H mm	Z mm	R mm	L mm	P mm
90	C3009016	150	112	135	140	232
110	C3011016	150	115	165	161	243
125	C3012516	150	167	188	201	343
140	C3014016	150	169	210	216	351
160	C3016016	150	171	240	235	360
180	C3018016	150	224	270	280	463
200	C3020016	150	227	300	301	474
225	C3022516	150	230	338	325	486
250	C3025016	250	233	375	350	498
280	C3028016	250	237	420	380	513
315	C3031516	300	342	478	465	717
355	C3035516	300	347	533	505	737
400	C3040016	300	354	600	551	761
450	C3045016	300	360	675	600	785
500	C3050016	350	367	750	651	810
560	C3056016	350	425	840	735	934
630	C3063016	350	434	945	805	968





La cerere și alte unghiuri.
Other angles on request.


Cot 30° segmentat capete lungi SDR 17
30° Segmented elbow long spigot SDR 17



Diametru Diameter	Cod Code	H mm	Z mm	R mm	L mm	P mm
90	C3009010	150	112	135	140	232
110	C3011010	150	115	165	161	243
125	C3012510	150	167	188	201	343
140	C3014010	150	169	210	216	351
160	C3016010	150	171	240	235	360
180	C3018010	150	224	270	280	463
200	C3020010	150	227	300	301	474
225	C3022510	150	230	338	325	486
250	C3025010	250	233	375	350	498
280	C3028010	250	237	420	380	513
315	C3031510	300	342	478	465	717
355	C3035510	300	347	533	505	737
400	C3040010	300	354	600	551	761
450	C3045010	300	360	675	600	785
500	C3050010	350	367	750	651	810
560	C3056010	350	425	840	735	934
630	C3063010	350	434	945	805	968
710	C3071010	350	495	1065	910	1102
800	C3080010	350	507	1200	1000	1147
900	C3090010	400	520	1350	1100	1196
1000	C30AAA10	400	534	1500	1201	1247
1200	C30BBB10	400	661	1800	1451	1534



La cerere și alte unghiuri.
Other angles on request.



Fitinguri segmentate

Segmented fittings





Cot 30° segmentat capete lungi SDR 26
30° Segmented elbow long spigot SDR 26



Product Certification
BUREAU VERITAS
Certification



Diametru Diameter	Cod Code	H mm	Z mm	R mm	L mm	P mm
90	C3009006	150	112	135	140	232
110	C3011006	150	115	165	161	243
125	C3012506	150	167	188	201	343
140	C3014006	150	169	210	216	351
160	C3016006	150	171	240	235	360
180	C3018006	150	224	270	280	463
200	C3020006	150	227	300	301	474
225	C3022506	150	230	338	325	486
250	C3025006	250	233	375	350	498
280	C3028006	250	237	420	380	513
315	C3031506	300	342	478	465	717
355	C3035506	300	347	533	505	737
400	C3040006	300	354	600	551	761
450	C3045006	300	360	675	600	785
500	C3050006	350	367	750	651	810
560	C3056006	350	425	840	735	934
630	C3063006	350	434	945	805	968
710	C3071006	350	495	1065	910	1102
800	C3080006	350	507	1200	1000	1147
900	C3090006	400	520	1350	1100	1196
1000	C30AAA06	400	534	1500	1201	1247
1200	C30BBB06	400	661	1800	1451	1534




La cerere și alte unghiuri.
Other angles on request.


Cot 45° segmentat capete lungi SDR 11
45° Segmented elbow long spigot SDR 11



Diametru Diameter	Cod Code	H mm	Z mm	R mm	L mm	P mm
90	C4509016	150	138	135	175	268
110	C4511016	150	146	165	198	289
125	C4512516	150	203	188	251	391
140	C4514016	150	209	210	268	407
160	C4516016	150	217	240	291	428
180	C4518016	150	276	270	349	535
200	C4520016	150	284	300	372	556
225	C4522516	150	295	338	401	584
250	C4525016	250	305	375	430	610
280	C4528016	250	313	420	461	634
315	C4531516	300	434	478	576	853
355	C4535516	300	449	533	621	893
400	C4540016	300	470	600	674	944
450	C4545016	300	490	675	731	996
500	C4550016	350	510	750	788	1048
560	C4556016	350	585	840	892	1197
630	C4563016	350	615	945	973	1273
710	C4571016	350	700	1065	1101	1446



La cerere și alte unghiuri.
Other angles on request.



Fitinguri segmentate Segmented fittings





Cot 45° segmentat capete lungi SDR 17 45° Segmented elbow long spigot SDR 17



Diametru Diameter	Cod Code	H mm	Z mm	R mm	L mm	P mm
90	C4509010	150	138	135	175	268
110	C4511010	150	146	165	198	289
125	C4512510	150	203	188	251	391
140	C4514010	150	209	210	268	407
160	C4516010	150	217	240	291	428
180	C4518010	150	276	270	349	535
200	C4520010	150	284	300	372	556
225	C4522510	150	295	338	401	584
250	C4525010	250	305	375	430	610
280	C4528010	250	313	420	461	634
315	C4531510	300	434	478	576	853
355	C4535510	300	449	533	621	893
400	C4540010	300	470	600	674	944
450	C4545010	300	490	675	731	996
500	C4550010	350	510	750	788	1048
560	C4556010	350	585	840	892	1197
630	C4563010	350	615	945	973	1273
710	C4571010	350	700	1065	1101	1446
800	C4580010	350	735	1200	1203	1538
900	C4590010	400	781	1350	1321	1652
1000	C45AAA10	400	822	1500	1435	1757
1200	C45BBB10	400	1005	1800	1735	2140

Product Certification
BUREAU VERITAS
Certification




La cerere și alte unghiuri.
Other angles on request.


Cot 45° segmentat capete lungi SDR 26 45° Segmented elbow long spigot SDR 26



Diametru Diameter	Cod Code	H mm	Z mm	R mm	L mm	P mm
90	C4509006	150	138	135	175	268
110	C4511006	150	146	165	198	289
125	C4512506	150	203	188	251	391
140	C4514006	150	209	210	268	407
160	C4516006	150	217	240	291	428
180	C4518006	150	276	270	349	535
200	C4520006	150	284	300	372	556
225	C4522506	150	295	338	401	584
250	C4525006	250	305	375	430	610
280	C4528006	250	313	420	461	634
315	C4531506	300	434	478	576	853
355	C4535506	300	449	533	621	893
400	C4540006	300	470	600	674	944
450	C4545006	300	490	675	731	996
500	C4550006	350	510	750	788	1048
560	C4556006	350	585	840	892	1197
630	C4563006	350	615	945	973	1273
710	C4571006	350	700	1065	1101	1446
800	C4580006	350	735	1200	1203	1538
900	C4590006	400	781	1350	1321	1652
1000	C45AAA06	400	822	1500	1435	1757
1200	C45BBB06	400	1005	1800	1735	2140



La cerere și alte unghiuri.
Other angles on request.



Fitinguri segmentate

Segmented fittings




Cot 60° segmentat capete lungi SDR 11
60° Segmented elbow long spigot SDR 11



Product Certification
BUREAU VERITAS
Certification



Diametru Diameter	Cod Code	H mm	Z mm	R mm	L mm	P mm
90	C6009016	150	153	135	200	269
110	C6011016	150	165	165	226	296
125	C6012516	150	224	188	288	391
140	C6014016	150	233	210	307	411
160	C6016016	150	245	240	333	437
180	C6018016	150	307	270	401	539
200	C6020016	150	319	300	427	566
225	C6022516	150	334	338	458	599
250	C6025016	250	349	375	490	632
280	C6028016	250	367	420	528	672
315	C6031516	300	488	478	659	869
355	C6035516	300	512	533	710	922
400	C6040016	300	539	600	767	982
450	C6045016	300	569	675	831	1049
500	C6050016	350	599	750	894	1116
560	C6056016	350	684	840	1013	1269
630	C6063016	350	726	945	1102	1362
710	C6071016	350	824	1065	1247	1544




La cerere și alte unghiuri.
Other angles on request.


Cot 60° segmentat capete lungi SDR 17
60° Segmented elbow long spigot SDR 17



Diametru Diameter	Cod Code	H mm	Z mm	R mm	L mm	P mm
90	C6009010	150	153	135	200	269
110	C6011010	150	165	165	226	296
125	C6012510	150	224	188	288	391
140	C6014010	150	233	210	307	411
160	C6016010	150	245	240	333	437
180	C6018010	150	307	270	401	539
200	C6020010	150	319	300	427	566
225	C6022510	150	334	338	458	599
250	C6025010	250	349	375	490	632
280	C6028010	250	367	420	528	672
315	C6031510	300	488	478	659	869
355	C6035510	300	512	533	710	922
400	C6040010	300	539	600	767	982
450	C6045010	300	569	675	831	1049
500	C6050010	350	599	750	894	1116
560	C6056010	350	684	840	1013	1269
630	C6063010	350	726	945	1102	1362
710	C6071010	350	824	1065	1247	1544
800	C6080010	350	878	1200	1361	1664
900	C6090010	400	938	1350	1488	1797
1000	C60AAA10	400	998	1500	1615	1931
1200	C60BBB10	400	1217	1800	1954	2346



La cerere și alte unghiuri.
Other angles on request.



Fitinguri segmentate

Segmented fittings




Cot 60° segmentat capete lungi SDR 26
60° Segmented elbow long spigot SDR 26



Product Certification
BUREAU VERITAS
Certification



Diametru Diameter	Cod Code	H mm	Z mm	R mm	L mm	P mm
90	C6009006	150	153	135	200	269
110	C6011006	150	165	165	226	296
125	C6012506	150	224	188	288	391
140	C6014006	150	233	210	307	411
160	C6016006	150	245	240	333	437
180	C6018006	150	307	270	401	539
200	C6020006	150	319	300	427	566
225	C6022506	150	334	338	458	599
250	C6025006	250	349	375	490	632
280	C6028006	250	367	420	528	672
315	C6031506	300	488	478	659	869
355	C6035506	300	512	533	710	922
400	C6040006	300	539	600	767	982
450	C6045006	300	569	675	831	1049
500	C6050006	350	599	750	894	1116
560	C6056006	350	684	840	1013	1269
630	C6063006	350	726	945	1102	1362
710	C6071006	350	824	1065	1247	1544
800	C6080006	350	878	1200	1361	1664
900	C6090006	400	938	1350	1488	1797
1000	C60AAA06	400	998	1500	1615	1931
1200	C60BBB06	400	1217	1800	1954	2346




La cerere și alte unghiuri.
Other angles on request.


Cot 90° segmentat capete lungi SDR 11
90° Segmented elbow long spigot SDR 11



Diametru Diameter	Cod Code	H mm	Z mm	R mm	L mm	P mm
90	C9009016	150	210	135	255	255
110	C9011016	150	235	165	290	290
125	C9012516	150	304	188	367	367
140	C9014016	150	322	210	392	392
160	C9016016	150	347	240	427	427
180	C9018016	150	421	270	511	511
200	C9020016	150	446	300	546	546
225	C9022516	150	477	338	560	560
250	C9025016	250	508	375	633	633
280	C9028016	250	545	420	685	685
315	C9031516	300	688	478	846	846
355	C9035516	300	737	533	913	913
400	C9040016	300	792	600	992	992
450	C9045016	300	854	675	1079	1079
500	C9050016	350	916	750	1166	1166
560	C9056016	350	1039	840	1319	1319
630	C9063016	350	1126	945	1441	1441
710	C9071016	350	1274	1065	1629	1629



La cerere și alte unghiuri.
Other angles on request.



Fitinguri segmentate Segmented fittings




Cot 90° segmentat capete lungi SDR 17
90° Segmented elbow long spigot SDR 17



Product Certification
BUREAU VERITAS
Certification



Diametru Diameter	Cod Code	H mm	Z mm	R mm	L mm	P mm
90	C9009010	150	210	135	255	255
110	C9011010	150	235	165	290	290
125	C9012510	150	304	188	367	367
140	C9014010	150	322	210	392	392
160	C9016010	150	347	240	427	427
180	C9018010	150	421	270	511	511
200	C9020010	150	446	300	546	546
225	C9022510	150	477	338	560	560
250	C9025010	250	508	375	633	633
280	C9028010	250	545	420	685	685
315	C9031510	300	688	478	846	846
355	C9035510	300	737	533	913	913
400	C9040010	300	792	600	992	992
450	C9045010	300	854	675	1079	1079
500	C9050010	350	916	750	1166	1166
560	C9056010	350	1039	840	1319	1319
630	C9063010	350	1126	945	1441	1441
710	C9071010	350	1274	1065	1629	1629
800	C9080010	350	1385	1200	1785	1785
900	C9090010	400	1508	1350	1958	1958
1000	C90AAA10	400	1632	1500	2132	2132
1200	C90BBB10	400	1978	1800	2578	2578




La cerere și alte unghiuri.
Other angles on request.


Cot 90° segmentat capete lungi SDR 26
90° Segmented elbow long spigot SDR 26



Diametru Diameter	Cod Code	H mm	Z mm	R mm	L mm	P mm
90	C9009006	150	210	135	255	255
110	C9011006	150	235	165	290	290
125	C9012506	150	304	188	367	367
140	C9014006	150	322	210	392	392
160	C9016006	150	347	240	427	427
180	C9018006	150	421	270	511	511
200	C9020006	150	446	300	546	546
225	C9022506	150	477	338	560	560
250	C9025006	250	508	375	633	633
280	C9028006	250	545	420	685	685
315	C9031506	300	688	478	846	846
355	C9035506	300	737	533	913	913
400	C9040006	300	792	600	992	992
450	C9045006	300	854	675	1079	1079
500	C9050006	350	916	750	1166	1166
560	C9056006	350	1039	840	1319	1319
630	C9063006	350	1126	945	1441	1441
710	C9071006	350	1274	1065	1629	1629
800	C9080006	350	1385	1200	1785	1785
900	C9090006	400	1508	1350	1958	1958
1000	C90AAA06	400	1632	1500	2132	2132
1200	C90BBB06	400	1978	1800	2578	2578



La cerere și alte unghiuri.
Other angles on request.



Fitinguri segmentate

Segmented fittings




Teu 45° segmentat capete lungi SDR 11
45° Segmented tee long spigot SDR 11



Product Certification
BUREAU VERITAS
Certification



Diametru Diameter	Cod Code	H mm	Z mm	P mm
90	T4509016	400	700	370
110	T4511016	400	700	390
125	T4512516	400	700	405
140	T4514016	400	700	420
160	T4516016	400	700	440
180	T4518016	400	700	460
200	T4520016	400	700	480
225	T4522516	450	850	545
250	T4525016	550	1000	640
280	T4528016	550	1000	670
315	T4531516	600	1100	740
355	T4535516	600	1100	780
400	T4540016	800	1500	970
450	T4545016	800	1500	1020
500	T4550016	1000	1900	1210
560	T4556016	1050	2000	1310
630	T4563016	1050	2000	-
710	T4571016	-	-	-




La cerere și alte unghiuri.
Other angles on request.


Teu 45° segmentat capete lungi SDR 17
45° Segmented tee long spigot SDR 17



Diametru Diameter	Cod Code	H mm	Z mm	P mm
90	T4509010	400	700	370
110	T4511010	400	700	390
125	T4512510	400	700	405
140	T4514010	400	700	420
160	T4516010	400	700	440
180	T4518010	400	700	460
200	T4520010	400	700	480
225	T4522510	450	850	545
250	T4525010	550	1000	640
280	T4528010	550	1000	670
315	T4531510	600	1100	740
355	T4535510	600	1100	780
400	T4540010	800	1500	970
450	T4545010	800	1500	1020
500	T4550010	1000	1900	1210
560	T4556010	1050	2000	1310
630	T4563010	1050	2000	-
710	T4571010	-	-	-
800	T4580010	-	-	-



La cerere și alte unghiuri.
Other angles on request.



Fitinguri segmentate

Segmented fittings




Teu 45° segmentat capete lungi SDR 26
45° Segmented tee long spigot SDR 26



Product Certification
BUREAU VERITAS
Certification



Diametru Diameter	Cod Code	H mm	Z mm	P mm
90	T4509006	400	700	370
110	T4511006	400	700	390
125	T4512506	400	700	405
140	T4514006	400	700	420
160	T4516006	400	700	440
180	T4518006	400	700	460
200	T4520006	400	700	480
225	T4522506	450	850	545
250	T4525006	550	1000	640
280	T4528006	550	1000	670
315	T4531506	600	1100	740
355	T4535506	600	1100	780
400	T4540006	800	1500	970
450	T4545006	800	1500	1020
500	T4550006	1000	1900	1210
560	T4556006	1050	2000	1310
630	T4563006	1050	2000	-
710	T4571006	-	-	-
800	T4580006	-	-	-




La cerere și alte unghiuri.
Other angles on request.


Teu 90° segmentat capete lungi SDR 11
90° Segmented tee long spigot SDR 11



Diametru Diameter	Cod Code	H mm	Z mm	P mm
90	T9009016	150	290	190
110	T9011016	150	310	210
125	T9012516	150	325	275
140	T9014016	150	440	290
160	T9016016	150	460	310
180	T9018016	150	580	380
200	T9020016	150	600	400
225	T9022516	150	625	425
250	T9025016	250	650	450
280	T9028016	250	680	480
315	T9031516	300	915	615
355	T9035516	300	955	655
400	T9040016	300	1000	700
450	T9045016	300	1050	750
500	T9050016	350	1100	800
560	T9056016	350	1260	910
630	T9063016	350	1330	980
710	T9071016	350	1510	1110



La cerere și alte unghiuri.
Other angles on request.



Fitinguri segmentate

Segmented fittings




Teu 90° segmentat capete lungi SDR 17
90° Segmented tee long spigot SDR 17



Product Certification
BUREAU VERITAS
Certification



Diametru Diameter	Cod Code	H mm	Z mm	P mm
90	T9009010	150	290	190
110	T9011010	150	310	210
125	T9012510	150	325	275
140	T9014010	150	440	290
160	T9016010	150	460	310
180	T9018010	150	580	380
200	T9020010	150	600	400
225	T9022510	150	625	425
250	T9025010	250	650	450
280	T9028010	250	680	480
315	T9031510	300	915	615
355	T9035510	300	955	655
400	T9040010	300	1000	700
450	T9045010	300	1050	750
500	T9050010	350	1100	800
560	T9056010	350	1260	910
630	T9063010	350	1330	980
710	T9071010	350	1510	1110
800	T9080010	350	1600	1200
900	T9090010	400	1700	1300
1000	T90AAA10	400	1800	1400
1200	T90BBB10	400	2200	1700




La cerere și alte unghiuri
Other angles on request.

Teu 90° segmentat capete lungi SDR 26
90° Segmented tee long spigot SDR 26



Diametru Diameter	Cod Code	H mm	Z mm	P mm
90	T9009006	150	290	190
110	T9011006	150	310	210
125	T9012506	150	325	275
140	T9014006	150	440	290
160	T9016006	150	460	310
180	T9018006	150	580	380
200	T9020006	150	600	400
225	T9022506	150	625	425
250	T9025006	250	650	450
280	T9028006	250	680	480
315	T9031506	300	915	615
355	T9035506	300	955	655
400	T9040006	300	1000	700
450	T9045006	300	1050	750
500	T9050006	350	1100	800
560	T9056006	350	1260	910
630	T9063006	350	1330	980
710	T9071006	350	1510	1110
800	T9080006	350	1600	1200
900	T9090006	400	1700	1300
1000	T90AAA06	400	1800	1400
1200	T90BBB06	400	2200	1700



La cerere și alte unghiuri
Other angles on request.



Cruce segmentată capete lungi SDR 11


Segmented cross long spigot SDR 11



Product Certification
BUREAU VERITAS
Certification



Diametru Diameter	Cod Code	H mm	Z mm	P mm
90	C4509016	150	290	290
110	C4511016	150	310	310
125	C4512516	150	325	325
140	C4514016	150	440	440
160	C4516016	150	460	460
180	C4518016	150	580	580
200	C4520016	150	600	600
225	C4522516	150	625	625
250	C4525016	250	650	650
280	C4528016	250	680	680
315	C4531516	300	915	915
355	C4535516	300	955	955
400	C4540016	300	1000	1000
450	C4545016	300	1050	1050
500	C4550016	350	1100	1100
560	C4556016	350	1260	1260
630	C4563016	350	1330	1330





Cruce segmentată capete lungi SDR 17

Segmented cross long spigot SDR 17



Diametru Diameter	Cod Code	H mm	Z mm	P mm
90	C4509010	150	290	290
110	C4511010	150	310	310
125	C4512510	150	325	325
140	C4514010	150	440	440
160	C4516010	150	460	460
180	C4518010	150	580	580
200	C4520010	150	600	600
225	C4522510	150	625	625
250	C4525010	250	650	650
280	C4528010	250	680	680
315	C4531510	300	915	915
355	C4535510	300	955	955
400	C4540010	300	1000	1000
450	C4545010	300	1050	1050
500	C4550010	350	1100	1100
560	C4556010	350	1260	1260
630	C4563010	350	1330	1330



Fitinguri segmentate

Segmented fittings



Cruce segmentată capete lungi SDR 26
Segmented cross long spigot SDR 26



Product Certification
BUREAU VERITAS
Certification



Diametru Diameter	Cod Code	H mm	Z mm	P mm
90	C4509006	150	290	290
110	C4511006	150	310	310
125	C4512506	150	325	325
140	C4514006	150	440	440
160	C4516006	150	460	460
180	C4518006	150	580	580
200	C4520006	150	600	600
225	C4522506	150	625	625
250	C4525006	250	650	650
280	C4528006	250	680	680
315	C4531506	300	915	915
355	C4535506	300	955	955
400	C4540006	300	1000	1000
450	C4545006	300	1050	1050
500	C4550006	350	1100	1100
560	C4556006	350	1260	1260
630	C4563006	350	1330	1330

